

Eco-Box (14mm): Booklet & Insert Specifications

NOTE: The Eco-Box is a new product design that was released in 2008. Specifications and automatibility are subject to change.

The following specifications are provided to ensure conformity to our insertion process of printed booklet materials into a generic, standard DVD Single Eco-Box. Materials which do not conform to the specifications set forth in these instructions may still be considered workable parts, but require manual insertion at an additional charge.

Dimensional Requirements:

All finished materials and/or submitted artwork must fall within the boundaries and meet all other requirements outlined in the DVD Generic Standard Single or Double Case insert Specifications Diagram.

Paper Stock:

Material should be wood-free, non-porous, art paper coated on both sides. Opaque stock is highly recommended to eliminate bleed-through.

Single sheet: 80 lb. text weight to 7 pt. Board (.004"-.007")

Multi-page Booklets:

- Inner pages: 60 to 80 lb. text weight (.0025"-.004")
- Cover pages: 80 to 100 lb. text weight (.004"-.0055")

Thickness of Finished Booklet:

The thickness of the combined booklet(s) and/or insert(s) must fall within the following to be considered automateable:

- 0.005" - 0.110" (0.13mm - 2.8mm) measured at the thickest point.

UV Coating and Varnishing:

Do not UV coat or varnish printed materials either before or after printing. High gloss coatings are vulnerable to damage which can affect the appearance of the finished product and may be incompatible with automated equipment, requiring manual insertion.

Stapling/Folding:

If applicable, multi-page booklets must be stapled with non-corrosive staples and folded. Folds are to be made per DVD Generic Standard Single or Double Case insert specification diagram.

Folded or Tri-Folded Booklets (from a single sheet):

Folded booklets may require hand insertion with an associated surcharge.

If there is to be only one Insert or Booklet in a case, it must be made to the dimensions of a Booklet shown on page 2 in order to be fully held in place by both clips and function properly in automation given the Eco-Boxes unique cutouts.





Photo of Eco-Box



Eco-Box (14mm): Booklet & Insert Specifications



Note: This drawing is not to scale.

Please use the numerical dimensions and tolerances to ensure the final booklet is within specification.


General Description:

Booklet is enclosed in a generic, standard single or double DVD case. The dimensions indicated above are those of the finished product.

Note: These specifications are provided to ensure conformity to our insertion process for printed materials into a generic, standard single or double DVD case. Materials which do not conform to the specifications set forth in these instructions may still be considered workable parts, but require manual insertion at an additional charge.

If there is to be only one Insert or Booklet in a case, it must be made to the dimensions of a Booklet shown on page 2 in order to be fully held in place by both clips and function properly in automation given the Eco-Boxes unique cutouts.

Eco-Box (14mm): Booklet & Insert Specifications



Note: This drawing is not to scale.
Please use the numerical dimensions and tolerances to ensure the final booklet is within specification.

General Description:


Insert is enclosed in a generic, standard single or double DVD case. The dimensions indicated above are those of the finished product.

Note: These specifications are provided to ensure conformity to our insertion process for printed materials into a generic, standard single or double DVD case. Materials which do not conform to the specifications set forth in these instructions may still be considered workable parts, but require manual insertion at an additional charge.

If there is to be only one Insert or Booklet in a case, it must be made to the dimensions of a Booklet shown on page 2 in order to be fully held in place by both clips and function properly in automation given the Eco-Boxes unique cutouts.

Eco-Box (14mm): Booklet & Insert Specifications

Acceptable Folding



For stapled books, the spacing of the staple from the edge of book is to be 0.813" (20.64mm) minimum.

